

**National Coverage Determination**  
**Procedure Code: 87086, 87088**  
**Urine Culture, Bacterial**  
**CMS Policy Number: 190.12**  
[Back to NCD List](#)

**Description:** A bacterial urine culture is a laboratory procedure performed on a urine specimen to establish the probable etiology of a presumed urinary tract infection. It is common practice to do a urinalysis prior to a urine culture. A urine culture may also be used as part of the evaluation and management of another related condition. The procedure includes aerobic agar-based isolation of bacteria or other cultivable organisms present, and quantitation of types present based on morphologic criteria. Isolates deemed significant may be subjected to additional identification and susceptibility procedures as requested by the ordering physician. The physician's request may be through clearly documented and communicated laboratory protocols.

**Indications:**

1. A patient's urinalysis is abnormal suggesting urinary tract infection, for example, abnormal microscopic (hematuria, pyuria, bacteriuria); abnormal biochemical urinalysis (positive leukocyte esterase, nitrite, protein, blood); a Gram's stain positive for microorganisms; positive bacteriuria screen by a non-culture technique; or other significant abnormality of a urinalysis. While it is not essential to evaluate a urine specimen by one of these methods before a urine culture is performed, certain clinical presentations with highly suggestive signs and symptoms may lend themselves to an antecedent urinalysis procedure where follow-up culture depends upon an initial positive or abnormal test result.
2. A patient has clinical signs and symptoms indicative of a possible urinary tract infection (UTI). Acute lower UTI may present with urgency, frequency, nocturia, dysuria, discharge or incontinence. These findings may also be noted in upper UTI with additional systemic symptoms (for example, fever, chills, lethargy); or pain in the costovertebral, abdominal, or pelvic areas. Signs and symptoms may overlap considerably with other inflammatory conditions of the genitourinary tract (for example, prostatitis, urethritis, vaginitis, or cervicitis). Elderly or immunocompromised patients, or patients with neurologic disorders may present atypically (for example, general debility, acute mental status changes, declining functional status).

3. The patient is being evaluated for suspected urosepsis, fever of unknown origin, or other systemic manifestations of infection but without a known source. Signs and symptoms used to define sepsis have been well established.

4. A test-of cure is generally not indicated in an uncomplicated infection. However, it may be indicated if the patient is being evaluated for response to therapy and there is a complicating co-existing urinary abnormality including structural or functional abnormalities, calculi, foreign bodies, or ureteral/renal stents or there is clinical or laboratory evidence of failure to respond as described in Indications 1 and 2.

5. In surgical procedures involving major manipulations of the genitourinary tract, preoperative examination to detect occult infection may be indicated in selected cases (for example, prior to renal transplantation, manipulation or removal of kidney stones, or transurethral surgery of the bladder or prostate).

6. Urine culture may be indicated to detect occult infection in renal transplant recipients on immunosuppressive therapy.

**Limitations:**

1. CPT 87086 may be used one time per encounter.

2. Colony count restrictions on coverage of CPT 87088 do not apply as they may be highly variable according to syndrome or other clinical circumstances (for example, antecedent therapy, collection time, and degree of hydration).

3. CPT 87088, 87184, and 87186 may be used multiple times in association with or independent of 87086, as urinary tract infections may be polymicrobial.

4. Testing for asymptomatic bacteriuria as part of a prenatal evaluation may be medically appropriate but is considered screening and therefore not covered by Medicare. The U.S. Preventive Services Task Force has concluded that screening for asymptomatic bacteriuria outside of the narrow indication for pregnant women is generally not indicated. There are insufficient data to recommend screening in ambulatory elderly patients including those with diabetes. Testing may be clinically indicated on other grounds including likelihood of recurrence or potential adverse effects of antibiotics, but is considered screening in the absence of clinical or laboratory evidence of infection.

---

To review all requirements of this policy, please see: [CMS NCD listing by Chapter](#)

## Covered ICD-10 Codes.

ICD-10	Descriptor
<a href="#">A02.1</a>	Salmonella sepsis
<a href="#">A18.14</a>	Tuberculosis of prostate
<a href="#">A34</a>	Obstetrical tetanus
<a href="#">A40.0</a>	Sepsis due to streptococcus, group A
<a href="#">A40.1</a>	Sepsis due to streptococcus, group B
<a href="#">A40.3</a>	Sepsis due to Streptococcus pneumoniae
<a href="#">A40.8</a>	Other streptococcal sepsis
<a href="#">A40.9</a>	Streptococcal sepsis, unspecified
<a href="#">A41.01</a>	Sepsis due to Methicillin susceptible Staphylococcus aureus
<a href="#">A41.02</a>	Sepsis due to Methicillin resistant Staphylococcus aureus
<a href="#">A41.1</a>	Sepsis due to other specified staphylococcus
<a href="#">A41.2</a>	Sepsis due to unspecified staphylococcus
<a href="#">A41.3</a>	Sepsis due to Hemophilus influenzae
<a href="#">A41.4</a>	Sepsis due to anaerobes
<a href="#">A41.50</a>	Gram-negative sepsis, unspecified
<a href="#">A41.51</a>	Sepsis due to Escherichia coli [E. coli]
<a href="#">A41.52</a>	Sepsis due to Pseudomonas
<a href="#">A41.53</a>	Sepsis due to Serratia
<a href="#">A41.59</a>	Other Gram-negative sepsis
<a href="#">A41.81</a>	Sepsis due to Enterococcus
<a href="#">A41.89</a>	Other specified sepsis
<a href="#">A41.9</a>	Sepsis, unspecified organism
<a href="#">A42.7</a>	Actinomycotic sepsis
<a href="#">A56.01</a>	Chlamydial cystitis and urethritis
<a href="#">A56.02</a>	Chlamydial vulvovaginitis
<a href="#">A56.11</a>	Chlamydial female pelvic inflammatory disease
<a href="#">D65</a>	Disseminated intravascular coagulation
<a href="#">D70.0</a>	Congenital agranulocytosis
<a href="#">D70.1</a>	Agranulocytosis secondary to cancer chemotherapy
<a href="#">D70.2</a>	Other drug-induced agranulocytosis
<a href="#">D70.3</a>	Neutropenia due to infection
<a href="#">D70.4</a>	Cyclic neutropenia
<a href="#">D70.8</a>	Other neutropenia
<a href="#">D70.9</a>	Neutropenia, unspecified
<a href="#">D72.89</a>	Other specified disorders of white blood cells
<a href="#">E09.21</a>	Drug/chem diabetes mellitus w diabetic nephropathy
<a href="#">E09.22</a>	Drug/chem diabetes w diabetic chronic kidney disease
<a href="#">E09.29</a>	Drug/chem diabetes w oth diabetic kidney complication

<a href="#">E11.10</a>	Type 2 diabetes mellitus with ketoacidosis without coma
<a href="#">E11.11</a>	Type 2 diabetes mellitus with ketoacidosis with coma
<a href="#">E87.2</a>	Acidosis
<a href="#">E87.4</a>	Mixed disorder of acid-base balance
<a href="#">F45.8</a>	Other somatoform disorders
<a href="#">G93.3</a>	Postviral fatigue syndrome
<a href="#">I50.814</a>	Right heart failure due to left heart failure
<a href="#">I50.82</a>	Biventricular heart failure
<a href="#">I50.84</a>	End stage heart failure
<a href="#">I50.89</a>	Other heart failure
<a href="#">J80</a>	Acute respiratory distress syndrome
<a href="#">K72.00</a>	Acute and subacute hepatic failure without coma
<a href="#">K72.01</a>	Acute and subacute hepatic failure with coma
<a href="#">K76.2</a>	Central hemorrhagic necrosis of liver
<a href="#">M04.1</a>	Periodic fever syndromes
<a href="#">M32.14</a>	Glomerular disease in systemic lupus erythematosus
<a href="#">M32.15</a>	Tubulo-interstitial neuropath in sys lupus erythematosus
<a href="#">M35.04</a>	Sicca syndrome with tubulo-interstitial nephropathy
<a href="#">M54.89</a>	Other dorsalgia
<a href="#">M54.9</a>	Dorsalgia, unspecified
<a href="#">N00.0</a>	Acute nephritic syndrome with minor glomerular abnormality
<a href="#">N00.1</a>	Acute neph syndrome w focal and segmental glomerular lesions
<a href="#">N00.2</a>	Acute nephritic syndrome w diffuse membranous glomrlneph
<a href="#">N00.3</a>	Acute neph syndrome w diffuse mesangial prolif glomrlneph
<a href="#">N00.4</a>	Acute neph syndrome w diffuse endocaply prolif glomrlneph
<a href="#">N00.5</a>	Acute nephritic syndrome w diffuse mesangiocap glomrlneph
<a href="#">N00.6</a>	Acute nephritic syndrome with dense deposit disease
<a href="#">N00.7</a>	Acute nephritic syndrome w diffuse crescentic glomrlneph
<a href="#">N00.8</a>	Acute nephritic syndrome with other morphologic changes
<a href="#">N00.9</a>	Acute nephritic syndrome with unsp morphologic changes
<a href="#">N01.0</a>	Rapidly progr nephritic syndrome w minor glomerular abnlt
<a href="#">N01.1</a>	Rapidly progr neph synd w focal and seg glomerular lesions
<a href="#">N01.2</a>	Rapidly progr neph syndrome w diffuse membranous glomrlneph
<a href="#">N01.3</a>	Rapidly progr neph synd w diffus mesangial prolif glomrlneph
<a href="#">N01.4</a>	Rapid progr neph synd w diffus endocaply prolif glomrlneph
<a href="#">N01.5</a>	Rapidly progr neph syndrome w diffuse mesangiocap glomrlneph
<a href="#">N01.6</a>	Rapidly progr nephritic syndrome w dense deposit disease
<a href="#">N01.7</a>	Rapidly progr neph syndrome w diffuse crescentic glomrlneph
<a href="#">N01.8</a>	Rapidly progr nephritic syndrome w oth morphologic changes
<a href="#">N01.9</a>	Rapidly progr nephritic syndrome w unsp morphologic changes
<a href="#">N05.0</a>	Unsp nephritic syndrome with minor glomerular abnormality
<a href="#">N05.1</a>	Unsp neph syndrome w focal and segmental glomerular lesions

<a href="#">N05.2</a>	Unsp nephritic syndrome w diffuse membranous glomrlneph
<a href="#">N05.3</a>	Unsp neph syndrome w diffuse mesangial prolif glomrlneph
<a href="#">N05.4</a>	Unsp neph syndrome w diffuse endocaply prolif glomrlneph
<a href="#">N05.5</a>	Unsp nephritic syndrome w diffuse mesangiocap glomrlneph
<a href="#">N05.6</a>	Unspecified nephritic syndrome with dense deposit disease
<a href="#">N05.7</a>	Unsp nephritic syndrome w diffuse crescentic glomrlneph
<a href="#">N05.8</a>	Unsp nephritic syndrome with other morphologic changes
<a href="#">N05.9</a>	Unsp nephritic syndrome with unspecified morphologic changes
<a href="#">N06.0</a>	Isolated proteinuria with minor glomerular abnormality
<a href="#">N06.1</a>	Isolated protein w focal and segmental glomerular lesions
<a href="#">N06.2</a>	Isolated proteinuria w diffuse membranous glomerulonephritis
<a href="#">N06.3</a>	Isolated proteinuria w diffuse mesangial prolif glomrlneph
<a href="#">N06.4</a>	Isolated proteinuria w diffuse endocaply prolif glomrlneph
<a href="#">N06.5</a>	Isolated proteinuria w diffuse mesangiocapillary glomrlneph
<a href="#">N06.6</a>	Isolated proteinuria with dense deposit disease
<a href="#">N06.7</a>	Isolated proteinuria w diffuse crescentic glomerulonephritis
<a href="#">N06.8</a>	Isolated proteinuria with other morphologic lesion
<a href="#">N06.9</a>	Isolated proteinuria with unspecified morphologic lesion
<a href="#">N07.0</a>	Hereditary nephropathy, NEC w minor glomerular abnormality
<a href="#">N07.1</a>	Heredit neuropath, NEC w focal and seg glomerular lesions
<a href="#">N07.2</a>	Hereditary nephropathy, NEC w diffuse membranous glomrlneph
<a href="#">N07.3</a>	Heredit neuropath, NEC w diffuse mesangial prolif glomrlneph
<a href="#">N07.4</a>	Heredit neuropath, NEC w diffus endocaply prolif glomrlneph
<a href="#">N07.5</a>	Hereditary nephropathy, NEC w diffuse mesangiocap glomrlneph
<a href="#">N07.6</a>	Hereditary nephropathy, NEC w dense deposit disease
<a href="#">N07.7</a>	Hereditary nephropathy, NEC w diffuse crescentic glomrlneph
<a href="#">N07.8</a>	Hereditary nephropathy, NEC w oth morphologic lesions
<a href="#">N07.9</a>	Hereditary nephropathy, NEC w unsp morphologic lesions
<a href="#">N08</a>	Glomerular disorders in diseases classified elsewhere
<a href="#">N10</a>	Acute pyelonephritis
<a href="#">N11.0</a>	Nonobstructive reflux-associated chronic pyelonephritis
<a href="#">N11.1</a>	Chronic obstructive pyelonephritis
<a href="#">N11.8</a>	Other chronic tubulo-interstitial nephritis
<a href="#">N11.9</a>	Chronic tubulo-interstitial nephritis, unspecified
<a href="#">N12</a>	Tubulo-interstitial nephritis, not spcf as acute or chronic
<a href="#">N13.0</a>	Hydronephrosis with ureteropelvic junction obstruction
<a href="#">N13.1</a>	Hydronephrosis w ureteral stricture, NEC
<a href="#">N13.2</a>	Hydronephrosis with renal and ureteral calculous obstruction
<a href="#">N13.4</a>	Hydroureter
<a href="#">N13.5</a>	Crossing vessel and stricture of ureter w/o hydronephrosis
<a href="#">N13.6</a>	Pyonephrosis
<a href="#">N13.70</a>	Vesicoureteral-reflux, unspecified

<a href="#">N13.71</a>	Vesicoureteral-reflux without reflux nephropathy
<a href="#">N13.721</a>	Vesicoureter-reflux w reflux neuropath w/o hydrourt, unil
<a href="#">N13.722</a>	Vesicoureter-reflux w reflux neuropath w/o hydrourt, bi
<a href="#">N13.729</a>	Vesicoureter-reflux w reflux nephropathy w/o hydrourt, unsp
<a href="#">N13.731</a>	Vesicoureter-reflux w reflux neuropath w hydrourt, unil
<a href="#">N13.732</a>	Vesicoureter-reflux w reflux neuropath w hydrourt, bilateral
<a href="#">N13.739</a>	Vesicoureter-reflux w reflux nephropathy w hydroureter, unsp
<a href="#">N13.8</a>	Other obstructive and reflux uropathy
<a href="#">N13.9</a>	Obstructive and reflux uropathy, unspecified
<a href="#">N14.0</a>	Analgesic nephropathy
<a href="#">N14.1</a>	Nephropathy induced by oth drug/meds/biol subst
<a href="#">N14.2</a>	Neuropath induced by unsp drug, medicament or biolg sub
<a href="#">N14.3</a>	Nephropathy induced by heavy metals
<a href="#">N14.4</a>	Toxic nephropathy, not elsewhere classified
<a href="#">N15.0</a>	Balkan nephropathy
<a href="#">N15.1</a>	Renal and perinephric abscess
<a href="#">N15.8</a>	Other specified renal tubulo-interstitial diseases
<a href="#">N15.9</a>	Renal tubulo-interstitial disease, unspecified
<a href="#">N16</a>	Renal tubulo-interstitial disord in diseases classd elswhr
<a href="#">N17.1</a>	Acute kidney failure with acute cortical necrosis
<a href="#">N17.2</a>	Acute kidney failure with medullary necrosis
<a href="#">N18.6</a>	End stage renal disease
<a href="#">N20.0</a>	Calculus of kidney
<a href="#">N20.1</a>	Calculus of ureter
<a href="#">N20.2</a>	Calculus of kidney with calculus of ureter
<a href="#">N20.9</a>	Urinary calculus, unspecified
<a href="#">N21.0</a>	Calculus in bladder
<a href="#">N21.1</a>	Calculus in urethra
<a href="#">N21.8</a>	Other lower urinary tract calculus
<a href="#">N21.9</a>	Calculus of lower urinary tract, unspecified
<a href="#">N22</a>	Calculus of urinary tract in diseases classified elsewhere
<a href="#">N23</a>	Unspecified renal colic
<a href="#">N28.0</a>	Ischemia and infarction of kidney
<a href="#">N28.1</a>	Cyst of kidney, acquired
<a href="#">N28.81</a>	Hypertrophy of kidney
<a href="#">N28.82</a>	Megaloureter
<a href="#">N28.83</a>	Nephroptosis
<a href="#">N28.84</a>	Pyelitis cystica
<a href="#">N28.85</a>	Pyeloureteritis cystica
<a href="#">N28.86</a>	Ureteritis cystica
<a href="#">N28.89</a>	Other specified disorders of kidney and ureter
<a href="#">N28.9</a>	Disorder of kidney and ureter, unspecified

<a href="#">N29</a>	Oth disorders of kidney and ureter in diseases classd elswhr
<a href="#">N30.00</a>	Acute cystitis without hematuria
<a href="#">N30.01</a>	Acute cystitis with hematuria
<a href="#">N30.10</a>	Interstitial cystitis (chronic) without hematuria
<a href="#">N30.11</a>	Interstitial cystitis (chronic) with hematuria
<a href="#">N30.20</a>	Other chronic cystitis without hematuria
<a href="#">N30.21</a>	Other chronic cystitis with hematuria
<a href="#">N30.30</a>	Trigonitis without hematuria
<a href="#">N30.31</a>	Trigonitis with hematuria
<a href="#">N30.40</a>	Irradiation cystitis without hematuria
<a href="#">N30.41</a>	Irradiation cystitis with hematuria
<a href="#">N30.80</a>	Other cystitis without hematuria
<a href="#">N30.81</a>	Other cystitis with hematuria
<a href="#">N30.90</a>	Cystitis, unspecified without hematuria
<a href="#">N30.91</a>	Cystitis, unspecified with hematuria
<a href="#">N34.0</a>	Urethral abscess
<a href="#">N34.1</a>	Nonspecific urethritis
<a href="#">N34.2</a>	Other urethritis
<a href="#">N34.3</a>	Urethral syndrome, unspecified
<a href="#">N35.016</a>	Post-traumatic urethral stricture, male, overlapping sites
<a href="#">N35.111</a>	Postinfective urethral stricture, NEC, male, meatal
<a href="#">N35.112</a>	Postinfective bulbous urethral stricture, NEC, male
<a href="#">N35.113</a>	Postinfective membranous urethral stricture, NEC, male
<a href="#">N35.114</a>	Postinfective anterior urethral stricture, NEC, male
<a href="#">N35.116</a>	Postinfective urethral stricture, NEC, male, ovr lp sites
<a href="#">N35.119</a>	Postinfective urethral stricture, NEC, male, unsp
<a href="#">N35.12</a>	Postinfective urethral stricture, NEC, female
<a href="#">N37</a>	Urethral disorders in diseases classified elsewhere
<a href="#">N39.0</a>	Urinary tract infection, site not specified
<a href="#">N39.3</a>	Stress incontinence (female) (male)
<a href="#">N39.41</a>	Urge incontinence
<a href="#">N39.42</a>	Incontinence without sensory awareness
<a href="#">N39.43</a>	Post-void dribbling
<a href="#">N39.44</a>	Nocturnal enuresis
<a href="#">N39.45</a>	Continuous leakage
<a href="#">N39.46</a>	Mixed incontinence
<a href="#">N39.490</a>	Overflow incontinence
<a href="#">N39.491</a>	Coital incontinence
<a href="#">N39.492</a>	Postural (urinary) incontinence
<a href="#">N39.498</a>	Other specified urinary incontinence
<a href="#">N40.0</a>	Benign prostatic hyperplasia without lower urinry tract symp
<a href="#">N40.1</a>	Benign prostatic hyperplasia with lower urinary tract symp

<a href="#">N40.2</a>	Nodular prostate without lower urinary tract symptoms
<a href="#">N40.3</a>	Nodular prostate with lower urinary tract symptoms
<a href="#">N41.0</a>	Acute prostatitis
<a href="#">N41.1</a>	Chronic prostatitis
<a href="#">N41.2</a>	Abscess of prostate
<a href="#">N41.3</a>	Prostatocystitis
<a href="#">N41.4</a>	Granulomatous prostatitis
<a href="#">N41.8</a>	Other inflammatory diseases of prostate
<a href="#">N41.9</a>	Inflammatory disease of prostate, unspecified
<a href="#">N42.0</a>	Calculus of prostate
<a href="#">N42.1</a>	Congestion and hemorrhage of prostate
<a href="#">N42.30</a>	Unspecified dysplasia of prostate
<a href="#">N42.31</a>	Prostatic intraepithelial neoplasia
<a href="#">N42.32</a>	Atypical small acinar proliferation of prostate
<a href="#">N42.39</a>	Other dysplasia of prostate
<a href="#">N42.81</a>	Prostatodynia syndrome
<a href="#">N42.82</a>	Prostatosis syndrome
<a href="#">N42.83</a>	Cyst of prostate
<a href="#">N42.89</a>	Other specified disorders of prostate
<a href="#">N42.9</a>	Disorder of prostate, unspecified
<a href="#">N43.40</a>	Spermatocele of epididymis, unspecified
<a href="#">N43.41</a>	Spermatocele of epididymis, single
<a href="#">N43.42</a>	Spermatocele of epididymis, multiple
<a href="#">N44.00</a>	Torsion of testis, unspecified
<a href="#">N44.01</a>	Extravaginal torsion of spermatic cord
<a href="#">N44.02</a>	Intravaginal torsion of spermatic cord
<a href="#">N44.03</a>	Torsion of appendix testis
<a href="#">N44.04</a>	Torsion of appendix epididymis
<a href="#">N44.1</a>	Cyst of tunica albuginea testis
<a href="#">N44.2</a>	Benign cyst of testis
<a href="#">N44.8</a>	Other noninflammatory disorders of the testis
<a href="#">N45.1</a>	Epididymitis
<a href="#">N45.2</a>	Orchitis
<a href="#">N45.3</a>	Epididymo-orchitis
<a href="#">N45.4</a>	Abscess of epididymis or testis
<a href="#">N49.0</a>	Inflammatory disorders of seminal vesicle
<a href="#">N49.1</a>	Inflam disorders of sperm cord, tunica vaginalis and vas def
<a href="#">N49.2</a>	Inflammatory disorders of scrotum
<a href="#">N49.3</a>	Fournier gangrene
<a href="#">N49.8</a>	Inflammatory disorders of oth male genital organs
<a href="#">N49.9</a>	Inflammatory disorder of unspecified male genital organ
<a href="#">N50.0</a>	Atrophy of testis



<a href="#">N50.1</a>	Vascular disorders of male genital organs
<a href="#">N50.3</a>	Cyst of epididymis
<a href="#">N50.811</a>	Right testicular pain
<a href="#">N50.812</a>	Left testicular pain
<a href="#">N50.819</a>	Testicular pain, unspecified
<a href="#">N50.82</a>	Scrotal pain
<a href="#">N50.89</a>	Other specified disorders of the male genital organs
<a href="#">N50.9</a>	Disorder of male genital organs, unspecified
<a href="#">N51</a>	Disorders of male genital organs in diseases classd elswhr
<a href="#">N53.11</a>	Retarded ejaculation
<a href="#">N53.12</a>	Painful ejaculation
<a href="#">N53.13</a>	Anejaculatory orgasm
<a href="#">N53.14</a>	Retrograde ejaculation
<a href="#">N53.19</a>	Other ejaculatory dysfunction
<a href="#">N53.8</a>	Other male sexual dysfunction
<a href="#">N53.9</a>	Unspecified male sexual dysfunction
<a href="#">N70.01</a>	Acute salpingitis
<a href="#">N70.02</a>	Acute oophoritis
<a href="#">N70.03</a>	Acute salpingitis and oophoritis
<a href="#">N70.11</a>	Chronic salpingitis
<a href="#">N70.12</a>	Chronic oophoritis
<a href="#">N70.13</a>	Chronic salpingitis and oophoritis
<a href="#">N70.91</a>	Salpingitis, unspecified
<a href="#">N70.92</a>	Oophoritis, unspecified
<a href="#">N70.93</a>	Salpingitis and oophoritis, unspecified
<a href="#">N71.0</a>	Acute inflammatory disease of uterus
<a href="#">N71.1</a>	Chronic inflammatory disease of uterus
<a href="#">N71.9</a>	Inflammatory disease of uterus, unspecified
<a href="#">N72</a>	Inflammatory disease of cervix uteri
<a href="#">N73.0</a>	Acute parametritis and pelvic cellulitis
<a href="#">N73.1</a>	Chronic parametritis and pelvic cellulitis
<a href="#">N73.2</a>	Unspecified parametritis and pelvic cellulitis
<a href="#">N73.3</a>	Female acute pelvic peritonitis
<a href="#">N73.4</a>	Female chronic pelvic peritonitis
<a href="#">N73.5</a>	Female pelvic peritonitis, unspecified
<a href="#">N73.6</a>	Female pelvic peritoneal adhesions (postinfective)
<a href="#">N73.8</a>	Other specified female pelvic inflammatory diseases
<a href="#">N73.9</a>	Female pelvic inflammatory disease, unspecified
<a href="#">N74</a>	Female pelvic inflam disorders in diseases classd elswhr
<a href="#">N75.0</a>	Cyst of Bartholin's gland
<a href="#">N75.1</a>	Abscess of Bartholin's gland
<a href="#">N75.8</a>	Other diseases of Bartholin's gland

<a href="#">N75.9</a>	Disease of Bartholin's gland, unspecified
<a href="#">N76.0</a>	Acute vaginitis
<a href="#">N76.1</a>	Subacute and chronic vaginitis
<a href="#">N76.2</a>	Acute vulvitis
<a href="#">N76.3</a>	Subacute and chronic vulvitis
<a href="#">N76.4</a>	Abscess of vulva
<a href="#">N76.5</a>	Ulceration of vagina
<a href="#">N76.6</a>	Ulceration of vulva
<a href="#">N76.81</a>	Mucositis (ulcerative) of vagina and vulva
<a href="#">N76.89</a>	Other specified inflammation of vagina and vulva
<a href="#">N77.0</a>	Ulceration of vulva in diseases classified elsewhere
<a href="#">N77.1</a>	Vaginitis, vulvitis and vulvovaginitis in dis classd elswhr
<a href="#">N82.0</a>	Vesicovaginal fistula
<a href="#">N82.1</a>	Other female urinary-genital tract fistulae
<a href="#">N82.2</a>	Fistula of vagina to small intestine
<a href="#">N82.3</a>	Fistula of vagina to large intestine
<a href="#">N82.4</a>	Other female intestinal-genital tract fistulae
<a href="#">N82.5</a>	Female genital tract-skin fistulae
<a href="#">N82.8</a>	Other female genital tract fistulae
<a href="#">N82.9</a>	Female genital tract fistula, unspecified
<a href="#">N83.511</a>	Torsion of right ovary and ovarian pedicle
<a href="#">N83.512</a>	Torsion of left ovary and ovarian pedicle
<a href="#">N83.519</a>	Torsion of ovary and ovarian pedicle, unspecified side
<a href="#">N83.521</a>	Torsion of right fallopian tube
<a href="#">N83.522</a>	Torsion of left fallopian tube
<a href="#">N83.529</a>	Torsion of fallopian tube, unspecified side
<a href="#">N99.115</a>	Postprocedural fossa navicularis urethral stricture
<a href="#">N99.116</a>	Postprocedural urethral stricture, male, overlapping sites
<a href="#">N99.523</a>	Herniation of incontinent stoma of urinary tract
<a href="#">N99.524</a>	Stenosis of incontinent stoma of urinary tract
<a href="#">N99.533</a>	Herniation of continent stoma of urinary tract
<a href="#">N99.534</a>	Stenosis of continent stoma of urinary tract
<a href="#">O08.0</a>	Genitl trct and pelvic infct fol ectopic and molar pregnancy
<a href="#">O08.3</a>	Shock following ectopic and molar pregnancy
<a href="#">O08.82</a>	Sepsis following ectopic and molar pregnancy
<a href="#">O12.04</a>	Gestational edema, complicating childbirth
<a href="#">O12.05</a>	Gestational edema, complicating the puerperium
<a href="#">O12.14</a>	Gestational proteinuria, complicating childbirth
<a href="#">O12.15</a>	Gestational proteinuria, complicating the puerperium
<a href="#">O12.24</a>	Gestational edema with proteinuria, complicating childbirth
<a href="#">O12.25</a>	Gestational edema with proteinuria, comp the puerperium
<a href="#">O13.4</a>	Gestatnl htn without significant protein, comp childbirth

<a href="#">O13.5</a>	Gestatnl htn without significant protein, comp the puerp
<a href="#">O14.04</a>	Mild to moderate pre-eclampsia, complicating childbirth
<a href="#">O14.05</a>	Mild to moderate pre-eclampsia, complicating the puerperium
<a href="#">O14.14</a>	Severe pre-eclampsia complicating childbirth
<a href="#">O14.15</a>	Severe pre-eclampsia, complicating the puerperium
<a href="#">O14.24</a>	HELLP syndrome, complicating childbirth
<a href="#">O14.25</a>	HELLP syndrome, complicating the puerperium
<a href="#">O14.94</a>	Unspecified pre-eclampsia, complicating childbirth
<a href="#">O14.95</a>	Unspecified pre-eclampsia, complicating the puerperium
<a href="#">O16.4</a>	Unspecified maternal hypertension, complicating childbirth
<a href="#">O16.5</a>	Unspecified maternal hypertension, comp the puerperium
<a href="#">O23.00</a>	Infections of kidney in pregnancy, unspecified trimester
<a href="#">O23.01</a>	Infections of kidney in pregnancy, first trimester
<a href="#">O23.02</a>	Infections of kidney in pregnancy, second trimester
<a href="#">O23.03</a>	Infections of kidney in pregnancy, third trimester
<a href="#">O23.10</a>	Infections of bladder in pregnancy, unspecified trimester
<a href="#">O23.11</a>	Infections of bladder in pregnancy, first trimester
<a href="#">O23.12</a>	Infections of bladder in pregnancy, second trimester
<a href="#">O23.13</a>	Infections of bladder in pregnancy, third trimester
<a href="#">O23.20</a>	Infections of urethra in pregnancy, unspecified trimester
<a href="#">O23.21</a>	Infections of urethra in pregnancy, first trimester
<a href="#">O23.22</a>	Infections of urethra in pregnancy, second trimester
<a href="#">O23.23</a>	Infections of urethra in pregnancy, third trimester
<a href="#">O23.30</a>	Infections of prt urinary tract in pregnancy, unsp trimester
<a href="#">O23.31</a>	Infect of prt urinary tract in pregnancy, first trimester
<a href="#">O23.32</a>	Infect of prt urinary tract in pregnancy, second trimester
<a href="#">O23.33</a>	Infect of prt urinary tract in pregnancy, third trimester
<a href="#">O23.40</a>	Unsp infection of urinary tract in pregnancy, unsp trimester
<a href="#">O23.41</a>	Unsp infct of urinary tract in pregnancy, first trimester
<a href="#">O23.42</a>	Unsp infct of urinary tract in pregnancy, second trimester
<a href="#">O23.43</a>	Unsp infct of urinary tract in pregnancy, third trimester
<a href="#">O23.511</a>	Infections of cervix in pregnancy, first trimester
<a href="#">O23.512</a>	Infections of cervix in pregnancy, second trimester
<a href="#">O23.513</a>	Infections of cervix in pregnancy, third trimester
<a href="#">O23.519</a>	Infections of cervix in pregnancy, unspecified trimester
<a href="#">O23.521</a>	Salpingo-oophoritis in pregnancy, first trimester
<a href="#">O23.522</a>	Salpingo-oophoritis in pregnancy, second trimester
<a href="#">O23.523</a>	Salpingo-oophoritis in pregnancy, third trimester
<a href="#">O23.529</a>	Salpingo-oophoritis in pregnancy, unspecified trimester
<a href="#">O23.591</a>	Infection oth prt genitl trct in pregnancy, first trimester
<a href="#">O23.592</a>	Infection oth prt genitl trct in pregnancy, second trimester
<a href="#">O23.593</a>	Infection oth prt genitl trct in pregnancy, third trimester

<a href="#">O23.599</a>	Infection oth prt genital tract in pregnancy, unsp trimester
<a href="#">O23.90</a>	Unsp GU tract infection in pregnancy, unsp trimester
<a href="#">O23.91</a>	Unsp GU tract infection in pregnancy, first trimester
<a href="#">O23.92</a>	Unsp GU tract infection in pregnancy, second trimester
<a href="#">O23.93</a>	Unsp GU tract infection in pregnancy, third trimester
<a href="#">O24.415</a>	Gestatnl diabetes in preg, ctrl by oral hypoglycemic drugs
<a href="#">O24.425</a>	Gestatnl diab in chldbrth, ctrl by oral hypoglycemic drugs
<a href="#">O24.435</a>	Gestatnl diabetes in puerp, ctrl by oral hypoglycemic drugs
<a href="#">O33.7XX0</a>	Maternal care for disproprt due to other fetal deform, unsp
<a href="#">O33.7XX1</a>	Matern care for disproprt due to other fetal deform, fts1
<a href="#">O33.7XX2</a>	Matern care for disproprt due to other fetal deform, fts2
<a href="#">O33.7XX3</a>	Matern care for disproprt due to other fetal deform, fts3
<a href="#">O33.7XX4</a>	Matern care for disproprt due to other fetal deform, fts4
<a href="#">O33.7XX5</a>	Matern care for disproprt due to other fetal deform, fts5
<a href="#">O33.7XX9</a>	Maternal care for disproprt due to other fetal deform, oth
<a href="#">O36.8310</a>	Matern care for abnlt fetl hrt rate or rhym, 1st tri, unsp
<a href="#">O36.8311</a>	Matern care for abnlt fetl hrt rate or rhym, 1st tri, fts1
<a href="#">O36.8312</a>	Matern care for abnlt fetl hrt rate or rhym, 1st tri, fts2
<a href="#">O36.8313</a>	Matern care for abnlt fetl hrt rate or rhym, 1st tri, fts3
<a href="#">O36.8314</a>	Matern care for abnlt fetl hrt rate or rhym, 1st tri, fts4
<a href="#">O36.8315</a>	Matern care for abnlt fetl hrt rate or rhym, 1st tri, fts5
<a href="#">O36.8319</a>	Matern care for abnlt of fetl hrt rate or rhym, 1st tri, oth
<a href="#">O36.8320</a>	Matern care for abnlt fetl hrt rate or rhym, 2nd tri, unsp
<a href="#">O36.8321</a>	Matern care for abnlt fetl hrt rate or rhym, 2nd tri, fts1
<a href="#">O36.8322</a>	Matern care for abnlt fetl hrt rate or rhym, 2nd tri, fts2
<a href="#">O36.8323</a>	Matern care for abnlt fetl hrt rate or rhym, 2nd tri, fts3
<a href="#">O36.8324</a>	Matern care for abnlt fetl hrt rate or rhym, 2nd tri, fts4
<a href="#">O36.8325</a>	Matern care for abnlt fetl hrt rate or rhym, 2nd tri, fts5
<a href="#">O36.8329</a>	Matern care for abnlt of fetl hrt rate or rhym, 2nd tri, oth
<a href="#">O36.8330</a>	Matern care for abnlt fetl hrt rate or rhym, 3rd tri, unsp
<a href="#">O36.8331</a>	Matern care for abnlt fetl hrt rate or rhym, 3rd tri, fts1
<a href="#">O36.8332</a>	Matern care for abnlt fetl hrt rate or rhym, 3rd tri, fts2
<a href="#">O36.8333</a>	Matern care for abnlt fetl hrt rate or rhym, 3rd tri, fts3
<a href="#">O36.8334</a>	Matern care for abnlt fetl hrt rate or rhym, 3rd tri, fts4
<a href="#">O36.8335</a>	Matern care for abnlt fetl hrt rate or rhym, 3rd tri, fts5
<a href="#">O36.8339</a>	Matern care for abnlt of fetl hrt rate or rhym, 3rd tri, oth
<a href="#">O36.8390</a>	Matern care for abnlt fetl hrt rate or rhym, unsp tri, unsp
<a href="#">O36.8391</a>	Matern care for abnlt fetl hrt rate or rhym, unsp tri, fts1
<a href="#">O36.8392</a>	Matern care for abnlt fetl hrt rate or rhym, unsp tri, fts2
<a href="#">O36.8393</a>	Matern care for abnlt fetl hrt rate or rhym, unsp tri, fts3
<a href="#">O36.8394</a>	Matern care for abnlt fetl hrt rate or rhym, unsp tri, fts4
<a href="#">O36.8395</a>	Matern care for abnlt fetl hrt rate or rhym, unsp tri, fts5

<a href="#">O36.8399</a>	Matern care for abnlt fetl hrt rate or rhym, unsp tri, oth
<a href="#">O44.20</a>	Partial placenta previa NOS or without hemor, unsp trimester
<a href="#">O44.21</a>	Partial placenta previa NOS or without hemor, first tri
<a href="#">O44.22</a>	Partial placenta previa NOS or without hemor, second tri
<a href="#">O44.23</a>	Partial placenta previa NOS or without hemor, third tri
<a href="#">O44.30</a>	Partial placenta previa with hemorrhage, unsp trimester
<a href="#">O44.31</a>	Partial placenta previa with hemorrhage, first trimester
<a href="#">O44.32</a>	Partial placenta previa with hemorrhage, second trimester
<a href="#">O44.33</a>	Partial placenta previa with hemorrhage, third trimester
<a href="#">O44.40</a>	Low lying placenta NOS or without hemorrhage, unsp trimester
<a href="#">O44.41</a>	Low lying placenta NOS or without hemor, first trimester
<a href="#">O44.42</a>	Low lying placenta NOS or without hemor, second trimester
<a href="#">O44.43</a>	Low lying placenta NOS or without hemor, third trimester
<a href="#">O44.50</a>	Low lying placenta with hemorrhage, unspecified trimester
<a href="#">O44.51</a>	Low lying placenta with hemorrhage, first trimester
<a href="#">O44.52</a>	Low lying placenta with hemorrhage, second trimester
<a href="#">O44.53</a>	Low lying placenta with hemorrhage, third trimester
<a href="#">O85</a>	Puerperal sepsis
<a href="#">O86.11</a>	Cervicitis following delivery
<a href="#">O86.12</a>	Endometritis following delivery
<a href="#">O86.13</a>	Vaginitis following delivery
<a href="#">O86.19</a>	Other infection of genital tract following delivery
<a href="#">O86.20</a>	Urinary tract infection following delivery, unspecified
<a href="#">O86.21</a>	Infection of kidney following delivery
<a href="#">O86.22</a>	Infection of bladder following delivery
<a href="#">O86.29</a>	Other urinary tract infection following delivery
<a href="#">O86.4</a>	Pyrexia of unknown origin following delivery
<a href="#">O86.81</a>	Puerperal septic thrombophlebitis
<a href="#">O86.89</a>	Other specified puerperal infections
<a href="#">P36.0</a>	Sepsis of newborn due to streptococcus, group B
<a href="#">P36.10</a>	Sepsis of newborn due to unspecified streptococci
<a href="#">P36.19</a>	Sepsis of newborn due to other streptococci
<a href="#">P36.2</a>	Sepsis of newborn due to Staphylococcus aureus
<a href="#">P36.30</a>	Sepsis of newborn due to unspecified staphylococci
<a href="#">P36.39</a>	Sepsis of newborn due to other staphylococci
<a href="#">P36.4</a>	Sepsis of newborn due to Escherichia coli
<a href="#">P36.5</a>	Sepsis of newborn due to anaerobes
<a href="#">P36.8</a>	Other bacterial sepsis of newborn
<a href="#">P36.9</a>	Bacterial sepsis of newborn, unspecified
<a href="#">P39.3</a>	Neonatal urinary tract infection
<a href="#">R00.0</a>	Tachycardia, unspecified
<a href="#">R10.0</a>	Acute abdomen

<a href="#">R10.10</a>	Upper abdominal pain, unspecified
<a href="#">R10.11</a>	Right upper quadrant pain
<a href="#">R10.12</a>	Left upper quadrant pain
<a href="#">R10.13</a>	Epigastric pain
<a href="#">R10.2</a>	Pelvic and perineal pain
<a href="#">R10.30</a>	Lower abdominal pain, unspecified
<a href="#">R10.31</a>	Right lower quadrant pain
<a href="#">R10.32</a>	Left lower quadrant pain
<a href="#">R10.33</a>	Periumbilical pain
<a href="#">R10.811</a>	Right upper quadrant abdominal tenderness
<a href="#">R10.812</a>	Left upper quadrant abdominal tenderness
<a href="#">R10.813</a>	Right lower quadrant abdominal tenderness
<a href="#">R10.814</a>	Left lower quadrant abdominal tenderness
<a href="#">R10.815</a>	Periumbilic abdominal tenderness
<a href="#">R10.816</a>	Epigastric abdominal tenderness
<a href="#">R10.817</a>	Generalized abdominal tenderness
<a href="#">R10.819</a>	Abdominal tenderness, unspecified site
<a href="#">R10.821</a>	Right upper quadrant rebound abdominal tenderness
<a href="#">R10.822</a>	Left upper quadrant rebound abdominal tenderness
<a href="#">R10.823</a>	Right lower quadrant rebound abdominal tenderness
<a href="#">R10.824</a>	Left lower quadrant rebound abdominal tenderness
<a href="#">R10.825</a>	Periumbilic rebound abdominal tenderness
<a href="#">R10.826</a>	Epigastric rebound abdominal tenderness
<a href="#">R10.827</a>	Generalized rebound abdominal tenderness
<a href="#">R10.829</a>	Rebound abdominal tenderness, unspecified site
<a href="#">R10.83</a>	Colic
<a href="#">R10.84</a>	Generalized abdominal pain
<a href="#">R10.9</a>	Unspecified abdominal pain
<a href="#">R30.0</a>	Dysuria
<a href="#">R30.1</a>	Vesical tenesmus
<a href="#">R30.9</a>	Painful micturition, unspecified
<a href="#">R31.0</a>	Gross hematuria
<a href="#">R31.1</a>	Benign essential microscopic hematuria
<a href="#">R31.21</a>	Asymptomatic microscopic hematuria
<a href="#">R31.29</a>	Other microscopic hematuria
<a href="#">R31.9</a>	Hematuria, unspecified
<a href="#">R32</a>	Unspecified urinary incontinence
<a href="#">R33.0</a>	Drug induced retention of urine
<a href="#">R33.8</a>	Other retention of urine
<a href="#">R33.9</a>	Retention of urine, unspecified
<a href="#">R34</a>	Anuria and oliguria
<a href="#">R35.0</a>	Frequency of micturition

<a href="#">R35.1</a>	Nocturia
<a href="#">R35.8</a>	Other polyuria
<a href="#">R36.0</a>	Urethral discharge without blood
<a href="#">R36.1</a>	Hematospermia
<a href="#">R36.9</a>	Urethral discharge, unspecified
<a href="#">R39.0</a>	Extravasation of urine
<a href="#">R39.11</a>	Hesitancy of micturition
<a href="#">R39.12</a>	Poor urinary stream
<a href="#">R39.13</a>	Splitting of urinary stream
<a href="#">R39.14</a>	Feeling of incomplete bladder emptying
<a href="#">R39.15</a>	Urgency of urination
<a href="#">R39.16</a>	Straining to void
<a href="#">R39.191</a>	Need to immediately re-void
<a href="#">R39.192</a>	Position dependent micturition
<a href="#">R39.198</a>	Other difficulties with micturition
<a href="#">R39.2</a>	Extrarenal uremia
<a href="#">R39.81</a>	Functional urinary incontinence
<a href="#">R39.82</a>	Chronic bladder pain
<a href="#">R39.89</a>	Other symptoms and signs involving the genitourinary system
<a href="#">R39.9</a>	Unsp symptoms and signs involving the genitourinary system
<a href="#">R40.2410</a>	Glasgow coma scale score 13-15, unspecified time
<a href="#">R40.2411</a>	Glasgow coma scale score 13-15, in the field
<a href="#">R40.2412</a>	Glasgow coma scale score 13-15, EMR
<a href="#">R40.2413</a>	Glasgow coma scale score 13-15, at hospital admission
<a href="#">R40.2414</a>	Glasgow coma scale score 13-15, 24+hrs
<a href="#">R40.2420</a>	Glasgow coma scale score 9-12, unspecified time
<a href="#">R40.2421</a>	Glasgow coma scale score 9-12, in the field
<a href="#">R40.2422</a>	Glasgow coma scale score 9-12, EMR
<a href="#">R40.2423</a>	Glasgow coma scale score 9-12, at hospital admission
<a href="#">R40.2424</a>	Glasgow coma scale score 9-12, 24+hrs
<a href="#">R40.2430</a>	Glasgow coma scale score 3-8, unspecified time
<a href="#">R40.2431</a>	Glasgow coma scale score 3-8, in the field
<a href="#">R40.2432</a>	Glasgow coma scale score 3-8, EMR
<a href="#">R40.2433</a>	Glasgow coma scale score 3-8, at hospital admission
<a href="#">R40.2434</a>	Glasgow coma scale score 3-8, 24+hrs
<a href="#">R40.2440</a>	Other coma, without Glasgow, or w/part score, unsp time
<a href="#">R40.2441</a>	Other coma, without Glasgow, or w/part score, in the field
<a href="#">R40.2442</a>	Other coma, without documented Glasgow, or w/part score, EMR
<a href="#">R40.2443</a>	Other coma, without Glasgow, or w/part score, admit
<a href="#">R40.2444</a>	Other coma, without Glasgow, or w/part score, 24+hrs
<a href="#">R40.4</a>	Transient alteration of awareness
<a href="#">R41.0</a>	Disorientation, unspecified

<a href="#">R41.1</a>	Anterograde amnesia
<a href="#">R41.2</a>	Retrograde amnesia
<a href="#">R41.3</a>	Other amnesia
<a href="#">R41.82</a>	Altered mental status, unspecified
<a href="#">R41.9</a>	Unsp symptoms and signs w cognitive functions and awareness
<a href="#">R45.84</a>	Anhedonia
<a href="#">R50.2</a>	Drug induced fever
<a href="#">R50.81</a>	Fever presenting with conditions classified elsewhere
<a href="#">R50.82</a>	Postprocedural fever
<a href="#">R50.83</a>	Postvaccination fever
<a href="#">R50.84</a>	Febrile nonhemolytic transfusion reaction
<a href="#">R50.9</a>	Fever, unspecified
<a href="#">R52</a>	Pain, unspecified
<a href="#">R53.0</a>	Neoplastic (malignant) related fatigue
<a href="#">R53.1</a>	Weakness
<a href="#">R53.81</a>	Other malaise
<a href="#">R53.83</a>	Other fatigue
<a href="#">R57.0</a>	Cardiogenic shock
<a href="#">R57.1</a>	Hypovolemic shock
<a href="#">R57.8</a>	Other shock
<a href="#">R57.9</a>	Shock, unspecified
<a href="#">R65.21</a>	Severe sepsis with septic shock
<a href="#">R68.0</a>	Hypothermia, not associated w low environmental temperature
<a href="#">R68.81</a>	Early satiety
<a href="#">R68.83</a>	Chills (without fever)
<a href="#">R68.89</a>	Other general symptoms and signs
<a href="#">R73.03</a>	Prediabetes
<a href="#">R78.81</a>	Bacteremia
<a href="#">R80.0</a>	Isolated proteinuria
<a href="#">R80.1</a>	Persistent proteinuria, unspecified
<a href="#">R80.2</a>	Orthostatic proteinuria, unspecified
<a href="#">R80.3</a>	Bence Jones proteinuria
<a href="#">R80.8</a>	Other proteinuria
<a href="#">R80.9</a>	Proteinuria, unspecified
<a href="#">R81</a>	Glycosuria
<a href="#">R82.0</a>	Chyluria
<a href="#">R82.1</a>	Myoglobinuria
<a href="#">R82.2</a>	Biliuria
<a href="#">R82.3</a>	Hemoglobinuria
<a href="#">R82.4</a>	Acetonuria
<a href="#">R82.5</a>	Elevated urine levels of drug/meds/biol subst
<a href="#">R82.6</a>	Abnormal urine levels of substances chiefly nonmed source



<a href="#">R82.71</a>	Bacteriuria
<a href="#">R82.79</a>	Other abnormal findings on microbiolog examination of urine
<a href="#">R82.81</a>	Pyuria
<a href="#">R82.89</a>	Other abn findings on cytolog and histolog exam of urine
<a href="#">R82.90</a>	Unspecified abnormal findings in urine
<a href="#">R82.91</a>	Other chromoabnormalities of urine
<a href="#">R82.991</a>	Hypocitraturia
<a href="#">R82.992</a>	Hyperoxaluria
<a href="#">R82.993</a>	Hyperuricosuria
<a href="#">R82.994</a>	Hypercalciuria
<a href="#">R82.998</a>	Other abnormal findings in urine
<a href="#">T19.0XXA</a>	Foreign body in urethra, initial encounter
<a href="#">T19.1XXA</a>	Foreign body in bladder, initial encounter
<a href="#">T19.4XXA</a>	Foreign body in penis, initial encounter
<a href="#">T83.011A</a>	Breakdown (mechanical) of indwelling urethral catheter, init
<a href="#">T83.011D</a>	Breakdown (mechanical) of indwelling urethral catheter, subs
<a href="#">T83.011S</a>	Breakdown of indwelling urethral catheter, sequela
<a href="#">T83.012A</a>	Breakdown (mechanical) of nephrostomy catheter, init
<a href="#">T83.012D</a>	Breakdown (mechanical) of nephrostomy catheter, subs
<a href="#">T83.012S</a>	Breakdown (mechanical) of nephrostomy catheter, sequela
<a href="#">T83.021A</a>	Displacement of indwelling urethral catheter, init
<a href="#">T83.021D</a>	Displacement of indwelling urethral catheter, subs
<a href="#">T83.021S</a>	Displacement of indwelling urethral catheter, sequela
<a href="#">T83.022A</a>	Displacement of nephrostomy catheter, initial encounter
<a href="#">T83.022D</a>	Displacement of nephrostomy catheter, subsequent encounter
<a href="#">T83.022S</a>	Displacement of nephrostomy catheter, sequela
<a href="#">T83.031A</a>	Leakage of indwelling urethral catheter, initial encounter
<a href="#">T83.031D</a>	Leakage of indwelling urethral catheter, subs
<a href="#">T83.031S</a>	Leakage of indwelling urethral catheter, sequela
<a href="#">T83.032A</a>	Leakage of nephrostomy catheter, initial encounter
<a href="#">T83.032D</a>	Leakage of nephrostomy catheter, subsequent encounter
<a href="#">T83.032S</a>	Leakage of nephrostomy catheter, sequela
<a href="#">T83.091A</a>	Mech compl of indwelling urethral catheter, init
<a href="#">T83.091D</a>	Mech compl of indwelling urethral catheter, subs
<a href="#">T83.091S</a>	Mech compl of indwelling urethral catheter, sequela
<a href="#">T83.092A</a>	Mech compl of nephrostomy catheter, initial encounter
<a href="#">T83.092D</a>	Mech compl of nephrostomy catheter, subsequent encounter
<a href="#">T83.092S</a>	Mech compl of nephrostomy catheter, sequela
<a href="#">T83.113A</a>	Breakdown (mechanical) of other urinary stents, init
<a href="#">T83.113D</a>	Breakdown (mechanical) of other urinary stents, subs
<a href="#">T83.113S</a>	Breakdown (mechanical) of other urinary stents, sequela
<a href="#">T83.123A</a>	Displacement of other urinary stents, initial encounter

<a href="#">T83.123D</a>	Displacement of other urinary stents, subsequent encounter
<a href="#">T83.123S</a>	Displacement of other urinary stents, sequela
<a href="#">T83.193A</a>	Mech compl of other urinary stent, initial encounter
<a href="#">T83.193D</a>	Mech compl of other urinary stent, subsequent encounter
<a href="#">T83.193S</a>	Mech compl of other urinary stent, sequela
<a href="#">T83.24XA</a>	Erosion of graft of urinary organ, initial encounter
<a href="#">T83.24XD</a>	Erosion of graft of urinary organ, subsequent encounter
<a href="#">T83.24XS</a>	Erosion of graft of urinary organ, sequela
<a href="#">T83.25XA</a>	Exposure of graft of urinary organ, initial encounter
<a href="#">T83.25XD</a>	Exposure of graft of urinary organ, subsequent encounter
<a href="#">T83.25XS</a>	Exposure of graft of urinary organ, sequela
<a href="#">T83.510A</a>	I/I react d/t cystostomy catheter, initial encounter
<a href="#">T83.510D</a>	I/I react d/t cystostomy catheter, subsequent encounter
<a href="#">T83.510S</a>	I/I react d/t cystostomy catheter, sequela
<a href="#">T83.511A</a>	I/I react d/t indwelling urethral catheter, init
<a href="#">T83.511D</a>	I/I react d/t indwelling urethral catheter, subs
<a href="#">T83.511S</a>	I/I react d/t indwelling urethral catheter, sequela
<a href="#">T83.512A</a>	I/I react d/t nephrostomy catheter, initial encounter
<a href="#">T83.512D</a>	I/I react d/t nephrostomy catheter, subsequent encounter
<a href="#">T83.512S</a>	I/I react d/t nephrostomy catheter, sequela
<a href="#">T83.518A</a>	I/I react d/t other urinary catheter, initial encounter
<a href="#">T83.518D</a>	I/I react d/t other urinary catheter, subsequent encounter
<a href="#">T83.518S</a>	I/I react d/t other urinary catheter, sequela
<a href="#">T83.590A</a>	I/I react d/t implanted urn nstim dev, initial encounter
<a href="#">T83.590D</a>	I/I react d/t implanted urn nstim dev, subsequent encounter
<a href="#">T83.590S</a>	I/I react d/t implanted urn nstim dev, sequela
<a href="#">T83.591A</a>	I/I react d/t implanted urinary sphincter, initial encounter
<a href="#">T83.591D</a>	I/I react d/t implanted urinary sphincter, subs
<a href="#">T83.591S</a>	I/I react d/t implanted urinary sphincter, sequela
<a href="#">T83.592A</a>	I/I react d/t indwelling ureteral stent, initial encounter
<a href="#">T83.592D</a>	I/I react d/t indwelling ureteral stent, subs
<a href="#">T83.592S</a>	I/I react d/t indwelling ureteral stent, sequela
<a href="#">T83.593A</a>	I/I react d/t other urinary stents, initial encounter
<a href="#">T83.593D</a>	I/I react d/t other urinary stents, subsequent encounter
<a href="#">T83.593S</a>	I/I react d/t other urinary stents, sequela
<a href="#">T83.598A</a>	I/I react d/t other prosth dev/grft urn sys, init
<a href="#">T83.598D</a>	I/I react d/t other prosth dev/grft in urinary system, subs
<a href="#">T83.598S</a>	I/I react d/t other prosth dev/grft urn sys, sequela
<a href="#">T83.61XA</a>	I/I react d/t implanted penile prosthesis, initial encounter
<a href="#">T83.61XD</a>	I/I react d/t implanted penile prosthesis, subs
<a href="#">T83.61XS</a>	I/I react d/t implanted penile prosthesis, sequela
<a href="#">T83.62XA</a>	I/I react d/t implanted testicular prosthesis, init

<a href="#">T83.62XD</a>	I/I react d/t implanted testicular prosthesis, subs
<a href="#">T83.62XS</a>	I/I react d/t implanted testicular prosthesis, sequela
<a href="#">T83.69XA</a>	I/I react d/t other prosth dev/grft in genital tract, init
<a href="#">T83.69XD</a>	I/I react d/t other prosth dev/grft in genital tract, subs
<a href="#">T83.69XS</a>	I/I react d/t other prosth dev/grft in genital tract, sequela
<a href="#">T83.712A</a>	Erosn implnt urethral mesh to surrnd org/tiss, init
<a href="#">T83.712D</a>	Erosn implnt urethral mesh to surrnd org/tiss, subs
<a href="#">T83.712S</a>	Erosn implnt urethral mesh to surrnd org/tiss, sequela
<a href="#">T83.713A</a>	Erosn implnt urethral bulking agent to surrnd org/tiss, init
<a href="#">T83.713D</a>	Erosn implnt urethral bulking agent to surrnd org/tiss, subs
<a href="#">T83.713S</a>	Erosn implnt urethral bulking agent to surrnd org/tiss, sqa
<a href="#">T83.714A</a>	Erosn implnt urtl bulk agnt organ or tissue, init
<a href="#">T83.714D</a>	Erosn implnt urtl bulk agnt organ or tissue, subs
<a href="#">T83.714S</a>	Erosion of implanted urtl bulk agnt organ or tissue, sequela
<a href="#">T83.719A</a>	Erosion of other prosth materials to surrnd org/tiss, init
<a href="#">T83.719D</a>	Erosion of other prosth materials to surrnd org/tiss, subs
<a href="#">T83.719S</a>	Erosion of other prosth matrl to surrnd org/tiss, sequela
<a href="#">T83.722A</a>	Exposure of implanted urethral mesh into urethra, init
<a href="#">T83.722D</a>	Exposure of implanted urethral mesh into urethra, subs
<a href="#">T83.722S</a>	Exposure of implanted urethral mesh into urethra, sequela
<a href="#">T83.723A</a>	Exposure of implnt urethral bulking agent into urethra, init
<a href="#">T83.723D</a>	Exposure of implnt urethral bulking agent into urethra, subs
<a href="#">T83.723S</a>	Expsr of implnt urethral bulking agent into urethra, sequela
<a href="#">T83.724A</a>	Exposure of implnt ureteral bulking agent into ureter, init
<a href="#">T83.724D</a>	Exposure of implnt ureteral bulking agent into ureter, subs
<a href="#">T83.724S</a>	Expsr of implnt ureteral bulking agent into ureter, sequela
<a href="#">T83.79XA</a>	Oth comp due to other GU prosthetic materials, init
<a href="#">T83.79XD</a>	Oth comp due to other GU prosthetic materials, subs
<a href="#">T83.79XS</a>	Oth comp due to other GU prosthetic materials, sequela
<a href="#">Z05.0</a>	Obs & eval of NB for suspected cardiac condition ruled out
<a href="#">Z05.1</a>	Obs & eval of NB for suspected infect condition ruled out
<a href="#">Z05.2</a>	Obs & eval of NB for suspected neuro condition ruled out
<a href="#">Z05.3</a>	Obs & eval of NB for suspected resp condition ruled out
<a href="#">Z05.41</a>	Obs & eval of NB for suspected genetic condition ruled out
<a href="#">Z05.42</a>	Obs & eval of NB for suspected metabolic condition ruled out
<a href="#">Z05.43</a>	Obs & eval of NB for suspected immunologic cond ruled out
<a href="#">Z05.5</a>	Obs & eval of NB for suspected GI condition ruled out
<a href="#">Z05.6</a>	Obs & eval of NB for suspected GU condition ruled out
<a href="#">Z05.71</a>	Obs & eval of NB for suspected skin, subcu cond ruled out
<a href="#">Z05.72</a>	Obs & eval of NB for suspected ms condition ruled out
<a href="#">Z05.73</a>	Obs & eval of NB for suspected conn tiss condition ruled out
<a href="#">Z05.8</a>	Obs & eval of NB for oth suspected condition ruled out

<a href="#">Z05.9</a>	Obs & eval of NB for unsp suspected condition ruled out
<a href="#">Z19.1</a>	Hormone sensitive malignancy status
<a href="#">Z19.2</a>	Hormone resistant malignancy status
<a href="#">Z31.7</a>	Enctr for pro mgmt and counseling for gestational carrier
<a href="#">Z43.5</a>	Encounter for attention to cystostomy
<a href="#">Z43.6</a>	Encounter for attn to oth artif openings of urinary tract
<a href="#">Z79.3</a>	Long term (current) use of hormonal contraceptives
<a href="#">Z79.84</a>	Long term (current) use of oral hypoglycemic drugs
<a href="#">Z79.891</a>	Long term (current) use of opiate analgesic
<a href="#">Z79.899</a>	Other long term (current) drug therapy
<a href="#">Z84.82</a>	Family history of sudden infant death syndrome
<a href="#">Z93.50</a>	Unspecified cystostomy status
<a href="#">Z93.51</a>	Cutaneous-vesicostomy status
<a href="#">Z93.52</a>	Appendico-vesicostomy status
<a href="#">Z93.59</a>	Other cystostomy status
<a href="#">Z93.6</a>	Other artificial openings of urinary tract status