

November 1, 2023

## TEST CODE UPDATES

TPMT (Thiopurine S-Methyltransferase) and NUDT15 (Nudix hydrolase 15 gene)		TPNUD
Effective Date	<b>Monday, Nov. 13, 2023</b>	
Description of Change	Starting Nov. 13, 2023, test code TPNUD will report TPMT (Thiopurine S-Methyltransferase) predicted phenotype and NUDT15 (Nudix hydrolase 15 gene) phenotype.	
Test Name	TPMT and NUDT15	
Test Code	TPNUD	

von Willebrand Factor Collagen Binding		VWFCB
Effective Date	<b>Monday, Nov. 13, 2023</b>	
Description of Change	Starting Nov. 13, 2023, test code VWFCB will no longer report VWF (von Willebrand Factor) Ratio.	
Test Name	von Willebrand Factor Collagen Binding	
Test Code	VWFCB	

UroVysion FISH		UROVF
Effective Date	<b>Monday, Nov. 13, 2023</b>	
Description of Change	Starting Nov. 13, 2023, test code UroVysion FISH will change to Bladder Cancer FISH. Specimen source, fixative type, clinical history, and specimen gross description will be required for testing.	
Test Name	UroVysion FISH	
Test Code	UROVF	

MPL (Myeloproliferative) Mutation Detection		MP515
Effective Date	<b>Monday, Nov. 13, 2023</b>	
Description of Change	Starting Nov. 13, 2023, test code MP515 (Myeloproliferative Mutation Detection) will require a specimen source for testing. Acceptable specimen types are whole blood and bone marrow.	
Test Name	MPL (Myeloproliferative) Mutation Detection	
Test Code	MP515	

Cortisol, Saliva		SLCOR
Effective Date	<b>Monday, Nov. 13, 2023</b>	
Description of Change	Starting Nov. 13, 2023, test code SLCOR (Cortisol, Saliva) will report total cortisol. Prior to this date SLCOR reported free cortisol.	
Test Name	Cortisol, Saliva	
Test Code	SLCOR	

Cytomegalovirus by Qualitative PCR		CYTPC
Effective Date	<b>Monday, Nov. 13, 2023</b>	
Description of Change	Starting Nov. 13, 2023, test code CYTPC (Cytomegalovirus by Qualitative PCR) will no longer accept whole blood, plasma, or serum specimens. <b>Test code CMVDP (Cytomegalovirus Viral Load, RT-PCR) is recommended as a replacement for plasma specimens.</b>	
Test Name	Cytomegalovirus by Qualitative PCR	
Test Code	CYTPC	

EBV (Epstein-Barr Virus ) Qualitative PCR		EBQLP
Effective Date	<b>Monday, Nov. 13, 2023</b>	
Description of Change	Starting Nov. 13, 2023, test code EBQLP will no longer accept whole blood, plasma, or serum specimens. <b>Test code EBQNA (Epstein-Barr Virus by Quantitative NAAT, Plasma) is recommended as a replacement for plasma specimens.</b>	
Test Name	EBV (Epstein-Barr Virus) Qualitative PCR	
Test Code	EBQLP	

### Additional Information

If you have additional questions regarding these tests, please contact Technical Support between the hours of 8 a.m. and 4:30 p.m. For general questions, Customer Care is available to assist at any time.

### Technical Support/Customer Care

Call 877-402-4221